

BALLISTIC DATA

VELOCITY [FPS]

CARTRIDGE	BULLET WEIGHT	BULLET STYLE	MUZZLE	100 yds	200 yds	300 yds	400 yds	500 yds	600 yds	700 yds	800 yds
25-06 Remington	110	AB	3,100	2,867	2,647	2,436	2,236	2,045	1,864	1,694	1,537
257 WBY Magnum	110	AB	3,400	3,151	2,916	2,693	2,480	2,278	2,085	1,901	1,729
6.5x55 Swedish	140	AB	2,650	2,476	2,309	2,149	1,995	1,848	1,708	1,577	1,456
260 Remington	130	AB	2,800	2,613	2,433	2,261	2,096	1,938	1,787	1,646	1,514
6.5 Creedmoor	140	BT	2,550	2,380	2,217	2,060	1,910	1,767	1,632	1,507	1,392
264 Winchester Mag	130	AB	3,100	2,900	2,709	2,526	2,350	2,128	2,019	1,864	1,718
6.5-284 Norma	130	AB	2,900	2,709	2,525	2,350	2,181	2,019	1,864	1,718	1,581
26 NOSLER	129	ABLR	3,400	3,213	3,035	2,863	2,698	2,539	2,385	2,237	2,094
270 Winchester	130	AB	3,075	2,852	2,641	2,439	2,246	2,062	1,887	1,722	1,568
270 WSM	140	AB	3,100	2,903	2,715	2,534	2,361	2,194	2,034	1,882	1,737
270 WBY Magnum	130	PT	3,450	3,194	2,958	2,732	2,517	2,311	2,116	1,930	1,755
280 Remington	140	AB	3,000	2,803	2,615	2,434	2,261	2,095	1,936	1,785	1,642
7mm-08 Remington	140	AB	2,825	2,636	2,454	2,280	2,113	1,953	1,801	1,658	1,525
7x57 Mauser	140	AB	2,700	2,516	2,339	2,170	2,007	1,852	1,706	1,569	1,443
280 Ackley Improved	140	AB	3,150	2,946	2,752	2,566	2,387	2,216	2,052	1,895	1,746
7mm SAUM	140	AB	3,150	2,946	2,752	2,566	2,387	2,216	2,052	1,895	1,746
7mm Remington Magnum	140	AB	3,200	2,994	2,798	2,610	2,429	2,256	2,090	1,931	1,781
7mm STW	140	AB	3,300	3,086	2,889	2,697	2,513	2,337	2,167	2,005	1,850
7mm WBY Magnum	140	AB	3,340	3,127	2,925	2,732	2,546	2,369	2,198	2,034	1,878
7mm RUM	160	AB	3,225	3,035	2,854	2,680	2,512	2,351	2,195	2,046	1,902
308 Winchester	165	AB	2,800	2,608	2,424	2,247	2,078	1,917	1,764	1,620	1,487
30-06 Springfield	180	AB	2,750	2,572	2,400	2,236	2,078	1,926	1,782	1,646	1,519
300 SAUM	180	AB	2,900	2,716	2,539	2,369	2,206	2,049	1,898	1,756	1,621
300 WSM	180	AB	2,900	2,716	2,539	2,369	2,206	2,049	1,898	1,756	1,621
300 Winchester Magnum	180	AB	2,950	2,763	2,585	2,413	2,248	2,089	1,937	1,793	1,656
300 RUM	180	AB	3,250	3,050	2,860	2,678	2,502	2,334	2,172	2,016	1,868
300 WBY Magnum	180	AB	3,175	2,979	2,791	2,612	2,439	2,273	2,113	1,960	1,814
338 Winchester Magnum	225	AB	2,750	2,585	2,427	2,274	2,126	1,984	1,849	1,719	1,597
338 RUM	225	AB	2,975	2,802	2,636	2,475	2,321	2,171	2,028	1,890	1,759
340 WBY Magnum	225	AB	2,900	2,730	2,566	2,408	2,256	2,109	1,968	1,833	1,704
338 Lapua Magnum	225	AB	3,000	2,826	2,659	2,498	2,342	2,192	2,048	1,909	1,777

*ABLR = Nosler AccuBond Long Range, AB = Nosler AccuBond, PT = Nosler Partition, BT = Nosler Ballistic Tip

BALLISTIC DATA

ENERGY (FT-LBS)

CARTRIDGE	BULLET WEIGHT	BULLET STYLE	MUZZLE	100 yds	200 yds	300 yds	400 yds	500 yds	600 yds	700 yds	800 yds
25-06 Remington	110	AB	2,346	2,008	1,711	1,450	1,221	1,021	848	701	577
257 WBY Magnum	110	AB	2,823	2,424	2,076	1,771	1,502	1,267	1,061	883	730
6.5x55 Swedish	140	AB	2,182	1,906	1,658	1,435	1,237	1,061	907	773	659
260 Remington	130	AB	2,262	1,970	1,709	1,476	1,268	1,084	922	782	662
6.5 Creedmoor	140	BT	2,021	1,761	1,527	1,319	1,134	970	828	706	602
264 Winchester Mag	130	AB	2,773	2,427	2,118	1,841	1,594	1,373	1,176	1,003	852
6.5-284 Norma	130	AB	2,427	2,118	1,841	1,593	1,372	1,176	1,003	852	721
26 NOSLER	129	ABLR	3,310	2,957	2,638	2,348	2,085	1,846	1,630	1,433	1,256
270 Winchester	130	AB	2,729	2,348	2,013	1,717	1,456	1,227	1,027	856	710
270 WSM	140	AB	2,986	2,619	2,291	1,996	1,733	1,497	1,286	1,100	937
270 WBY Magnum	130	PT	3,435	2,949	2,525	2,154	1,828	1,542	1,292	1,075	889
280 Remington	140	AB	2,797	2,442	2,126	1,842	1,589	1,364	1,165	990	839
7mm-08 Remington	140	AB	2,480	2,159	1,872	1,616	1,388	1,186	1,008	854	722
7x57 Mauser	140	AB	2,265	1,967	1,701	1,463	1,252	1,067	905	765	647
280 Ackley Improved	140	AB	3,084	2,698	2,354	2,047	1,772	1,527	1,308	1,116	947
7mm SAUM	140	AB	3,084	2,698	2,354	2,047	1,772	1,527	1,308	1,116	947
7mm Remington Magnum	140	AB	3,182	2,786	2,433	2,117	1,835	1,583	1,358	1,160	986
7mm STW	140	AB	3,384	2,966	2,594	2,261	1,963	1,697	1,460	1,250	1,064
7mm WBY Magnum	140	AB	3,467	3,040	2,659	2,320	2,016	1,744	1,502	1,286	1,097
7mm RUM	160	AB	3,694	3,273	2,894	2,551	2,242	1,964	1,712	1,487	1,286
308 Winchester	165	AB	2,871	2,491	2,152	1,850	1,582	1,346	1,139	961	810
30-06 Springfield	180	AB	3,022	2,643	2,303	1,998	1,725	1,483	1,269	1,082	922
300 SAUM	180	AB	3,360	2,947	2,576	2,243	1,944	1,677	1,440	1,232	1,050
300 WSM	180	AB	3,360	2,947	2,576	2,243	1,944	1,677	1,440	1,232	1,050
300 Winchester Magnum	180	AB	3,477	3,052	2,671	2,328	2,020	1,745	1,500	1,284	1,096
300 RUM	180	AB	4,220	3,719	3,269	2,866	2,503	2,177	1,885	1,625	1,394
300 WBY Magnum	180	AB	4,028	3,546	3,114	2,726	2,378	2,065	1,785	1,536	1,316
338 Winchester Magnum	225	AB	3,777	3,339	2,942	2,583	2,259	1,968	1,707	1,477	1,274
338 RUM	225	AB	4,421	3,922	3,470	3,061	2,691	2,356	2,054	1,785	1,545
340 WBY Magnum	225	AB	4,200	3,723	3,290	2,898	2,543	2,222	1,935	1,678	1,451
338 Lapua Magnum	225	AB	4,495	3,990	3,532	3,117	2,741	2,401	2,095	1,821	1,577

*ABLR = Nosler AccuBond Long Range, AB = Nosler AccuBond, PT = Nosler Partition, BT = Nosler Ballistic Tip

BALLISTIC DATA

DROP IN INCHES [100 YARD ZERO]

CARTRIDGE	BULLET WEIGHT	BULLET STYLE	MUZZLE	100 yds	200 yds	300 yds	400 yds	500 yds	600 yds	700 yds	800 yds
25-06 Remington	110	AB	-1.5	0	-2.7	-10.4	-24	-44.6	-73.5	-112.4	-163.4
257 WBY Magnum	110	AB	-1.5	0	-2	-8.1	-19	-35.6	-58.9	-90.2	-123.1
6.5x55 Swedish	140	AB	-1.5	0	-4.2	-14.9	-33.1	-60.1	-97.3	-146.4	-209.5
260 Remington	130	AB	-1.5	0	-3.6	-13.1	-29.4	-53.6	-87.1	-131.4	-188.7
6.5 Creedmoor	140	BT	-1.5	0	-4.6	-16.4	-36.3	-65.8	-106.4	-160.1	-229.1
264 Winchester Mag	130	AB	-1.5	0	-2.6	-10	-22.9	-42	-68.5	-103.5	-148.5
6.5-284 Norma	130	AB	-1.5	0	-3.2	-11.9	-27	-49.3	-80.2	-121	-173.7
26 NOSLER	129	ABLR	-1.5	0	-1.8	-7.5	-17.4	-32	-52	-78.3	-111.4
270 Winchester	130	AB	-1.5	0	-2.8	-10.6	-24.2	-44.7	-73.4	-112	-162.2
270 WSM	140	AB	-1.5	0	-2.6	-10	-22.8	-41.8	-68	-102.7	-147.2
270 WBY Magnum	130	PT	-1.5	0	-1.9	-7.8	-18.3	-34.4	-57	-87.3	-127.1
280 Remington	140	AB	-1.5	0	-2.9	-10.9	-24.8	-45.5	-74.2	-112.1	-131
7mm-08 Remington	140	AB	-1.5	0	-3.5	-12.8	-28.8	-52.6	-85.5	-129.1	-185.4
7x57 Mauser	140	AB	-1.5	0	-4	-14.4	-32.1	-58.5	-95.1	-143.6	-206.2
280 Ackley Improved	140	AB	-1.5	0	-2.5	-9.6	-22	-40.5	-66.1	-99.9	-143.5
7mm SAUM	140	AB	-1.5	0	-2.5	-9.6	-22	-40.5	-66.1	-99.9	-143.5
7mm Remington Magnum	140	AB	-1.5	0	-2.4	-9.2	-21.1	-39	-63.7	-93.3	-138.3
7mm STW	140	AB	-1.5	0	-2.1	-8.5	-19.6	-36.2	-59.2	-89.6	-128.6
7mm WBY Magnum	140	AB	-1.5	0	-2.1	-8.2	-19	-35.1	-57.5	-87.1	-125
7mm RUM	160	AB	-1.5	0	-2.3	-8.8	-20.2	-37.1	-60.3	-90.7	-129.5
308 Winchester	165	AB	-1.5	0	-3.6	-13.2	-29.6	-54.1	-88.1	-133.3	-191.7
30-06 Springfield	180	AB	-1.5	0	-3.8	-13.6	-30.3	-55.2	-89.4	-134.6	-192.6
300 SAUM	180	AB	-1.5	0	-3.2	-11.8	-26.7	-48.6	-78.9	-118.8	-170.1
300 WSM	180	AB	-1.5	0	-3.2	-11.8	-26.7	-48.6	-78.9	-118.8	-170.1
300 Winchester Magnum	180	AB	-1.5	0	-3.1	-11.3	-25.6	-46.7	-75.8	-114.2	-163.4
300 RUM	180	AB	-1.5	0	-2.2	-8.7	-20.1	-37	-60.3	-91	-130.2
300 WBY Magnum	180	AB	-1.5	0	-2.4	-9.3	-21.3	-39.1	-63.7	-96.1	-137.5
338 Winchester Magnum	225	AB	-1.5	0	-3.7	-13.3	-29.7	-53.7	-86.6	-129.6	-184.5
338 RUM	225	AB	-1.5	0	-2.9	-10.9	-24.5	-44.6	-72	-108	-153.6
340 WBY Magnum	225	AB	-1.5	0	-3.2	-11.6	-26.1	-47.4	-76.5	-114.6	-163
338 Lapua Magnum	225	AB	-1.5	0	-2.9	-10.6	-24	-43.7	-70.6	-105.9	-150.7

*ABLR = Nosler AccuBond Long Range, AB = Nosler AccuBond, PT = Nosler Partition, BT = Nosler Ballistic Tip

BALLISTIC DATA

DROP IN INCHES [200 YARD ZERO]

CARTRIDGE	BULLET WEIGHT	BULLET STYLE	MUZZLE	100 yds	200 yds	300 yds	400 yds	500 yds	600 yds	700 yds	800 yds
25-06 Remington	110	AB	-1.5	1.4	0	-6.3	-18.5	-37.7	-65.2	-102.8	-152.5
257 WBY Magnum	110	AB	-1.5	1	0	-5.1	-15	-30.6	-52.9	-83.2	-123.1
6.5x55 Swedish	140	AB	-1.5	2.1	0	-8.6	-24.8	-49.7	-84.8	-131.8	-192.8
260 Remington	130	AB	-1.1	1.8	0	-7.7	-22.2	-44.6	-76.3	-118.9	-174.3
6.5 Creedmoor	140	BT	-1.5	2.3	0	-9.4	-27	-54.2	-92.5	-143.9	-210.6
264 Winchester Mag	130	AB	-1.5	1.3	0	-6.1	-17.6	-35.4	-60.6	-94.2	-137.9
6.5-284 Norma	130	AB	-1.5	1.6	0	-7.1	-20.5	-41.2	-70.4	-109.7	-160.8
26 NOSLER	129	ABLR	-1.5	0.9	0	-4.7	-13.6	-27.4	-46.5	-71.7	-103.9
270 Winchester	130	AB	-1.5	1.4	0	-6.4	-18.6	-37.8	-65.1	-102.2	-151.1
270 WSM	140	AB	-1.5	1.6	0	-6	-17.5	-35.2	-60.1	-93.5	-136.7
270 WBY Magnum	130	PT	-1.5	1	0	-4.9	-14.5	-29.6	-51.3	-80.7	-119.4
280 Remington	140	AB	-1.5	1.5	0	-6.6	-19	-38.2	-65.4	-101.9	-149.3
7mm-08 Remington	140	AB	-1.5	1.8	0	-7.5	-21.8	-43.8	-75	-116.8	-171.4
7x57 Mauser	140	AB	-1.5	2	0	-8.4	-24.1	-48.5	-83.1	-129.6	-190.2
280 Ackley Improved	140	AB	-1.5	1.3	0	-5.8	-17	-34.2	-58.6	-91.2	-133.5
7mm SAUM	140	AB	-1.5	1.3	0	-5.8	-17	-34.2	-58.6	-91.2	-133.5
7mm Remington Magnum	140	AB	-1.5	1.2	0	-5.6	-16.4	-33	-56.5	-88	-128.8
7mm STW	140	AB	-1.5	1.1	0	-5.2	-15.3	-30.8	-52.7	-82.1	-120.1
7mm WBY Magnum	140	AB	-1.5	1	0	-5.1	-14.9	-30	-51.3	-79.9	-116.8
7mm RUM	160	AB	-1.5	1.1	0	-5.4	-15.7	-31.4	-53.5	-82.8	-120.4
308 Winchester	165	AB	-1.5	1.8	0	-7.7	-22.4	-45.1	-77.2	-120.6	-177.2
30-06 Springfield	180	AB	-1.5	1.9	0	-7.9	-22.8	-45.8	-78.1	-121.4	-177.6
300 SAUM	180	AB	-1.5	1.6	0	-7	-20.2	-40.6	-69.2	-107.6	-157.2
300 WSM	180	AB	-1.5	1.6	0	-7	-20.2	-40.6	-69.2	-107.6	-157.2
300 Winchester Magnum	180	AB	-1.5	1.5	0	-6.7	-19.4	-39	-66.6	-103.5	-151.2
300 RUM	180	AB	-1.5	1.1	0	-5.4	-15.6	-31.4	-53.6	-83.1	-121.2
300 WBY Magnum	180	AB	-1.5	1.2	0	-5.7	-16.5	-33.1	-56.4	-87.6	-127.8
338 Winchester Magnum	225	AB	-1.5	1.9	0	-7.8	-22.3	-44.4	-75.5	-116.7	-169.7
338 RUM	225	AB	-1.5	1.5	0	-6.5	-18.6	-37.2	-63.2	-97.7	-141.9
340 WBY Magnum	225	AB	-1.5	1.6	0	-6.9	-19.7	-39.4	-67	-103.5	-150.4
338 Lapua Magnum	225	AB	-1.5	1.4	0	-6.3	-18.3	-36.5	-62.1	-95.9	-139.2

*ABLR = Nosler AccuBond Long Range, AB = Nosler AccuBond, PT = Nosler Partition, BT = Nosler Ballistic Tip